



# ECONOSINE 2 CENTRAL LIGHTING INVERTER SINGLE LINE DIAGRAM




## NOTES:

1. Dotted blocks are optional features.




ECONOSINE 2 TYPICAL SINGLE LINE DIAGRAM		SHT 1 OF 1
 <b>CRUCIAL POWER PRODUCTS</b> SUBJECT TO CHANGE WITHOUT NOTICE		
DRAWN : SHERRIS.	1/25/23	405-TD-010
APPVD : H.N	1/25/23	
		REV A

# ECONOSINE 2 CENTRAL LIGHTING INVERTER


## ISOMETRIC VIEW WITH OPTIONAL SEISMIC BRACKETS



**TOP VIEW**




**SIDE VIEW**




**FRONT VIEW**

### NOTES:


- 1) ALL DIMENSIONS SHOWN ARE APPROXIMATE.
- 2) ENCLOSURE: INDOOR NEMA TYPE 1, COLOR BLACK.
- 3) DRAWING SHOWN WITH OPTIONAL SEISMIC.
- 4) RATING: FROM 500 W. TO 2700 W.
- 5) WEIGHT: FROM 265 LBS UP TO 760 LBS (WITH BATTERIES).

<b>ECONOSINE 2 INVERTER TECHNICAL DRAWINGS</b>		SHT 1 OF 1	
 <b>CRUCIAL POWER PRODUCTS</b>		SUBJECT TO CHANGE WITHOUT NOTICE	
DRAWN : SHERRIS.	1/25/23	405-TD-011	REV A
APPVD : H.N	1/25/23		


# ECONOSINE 2, OPTIONAL 40" " HIGH STAND (STACKABLE)




**TOP VIEW**



**FRONT VIEW**




**SIDE VIEW**



**ISOMETRIC DRAWING**

**NOTES:**

- 1) FINISH: POWDER COAT BLACK FINE TEXTURE.
- 2) MOUNTING HARDWARE TO INSTALL UNIT TO STAND IS PROVIDED WITH THE KIT.
- 3) MOUNTING HARDWARE FOR STAND TO THE FLOOR TO BE SUPPLIED BY OTHERS, (CONSULT APPLICABLE CODES, FOR HARDWARE TYPE AND LENGTH BASED ON TYPE OF FLOOR).

<b>ECONOSINE 2 TECHNICAL DRAWINGS</b>		SHT 1 OF 1	
 <b>CRUCIAL POWER PRODUCTS</b>			
SUBJECT TO CHANGE WITHOUT NOTICE			
DRAWN : SHERRIS.	1/25/23	<b>405-TD-012</b>	REV
APPVD : H.N	1/25/23		A